

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C12Q 1/68

A2

(11) International Publication Number: WO 00/68424

(43) International Publication Date: 16 November 2000 (16.11.00)

(21) International Application Number: PCT/EP00/04591

(22) International Filing Date: 4 May 2000 (04.05.00)

(30) Priority Data: 60/132,705 5 May 1999 (05.05.99) US

(71) Applicants (for all designated States except US): INSTITUT CURIE [FR/FR]; 26, rue d'Ulm, F-75248 Paris Cedex 05 (FR), CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (C.N.R.S.) [FR/FR]; 3, Rue Michel Ange, F-75794 Paris Cedex 16 (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): CAPPELLEN, David [FR/FR]; 8, avenue le Pont l'Evêque, F-14810 Merville-Franceville (FR). CHOPIN, Dominique [FR/FR]; 23, avenue de la Marne, F-94000 Creteil (FR). RAD-VANYI, François [FR/FR]; 36, rue des Potiers, F-92260 Fontenay-aux-Roses (FR). RICOL, David [FR/FR]; Bât. K, 40, rue Pascal, F-75013 Paris (FR). THIERY, Jean-Paul [FR/FR]; 16, rue Vandrezanne, F-75013 Paris (FR).

(74) Agents: PEAUCELLE, Chantal et al.; Cabinet Armengaud Ainé, 3, avenue Bugeaud, F-75116 Paris (FR).

(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

- (54) Title: MEANS FOR DETECTING AND TREATING PATHOLOGIES LINKED TO FGFR3
- (57) Abstract

The invention relates to a method for detecting carcinomas in a biological sample, comprising identifying FGFR3 mutations.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GΛ	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BC	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	31	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	ко	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

1

Means for detecting and treating pathologies linked to FGFR3

The invention relates to means, i.e. method and drugs, for detecting and treating, respectively, pathologies linked to FGFR3 and/or to the FGFR3 pathway.

5

10

15

20

25

30

35

Fibroblast growth factor receptor 3 (FGFR3) belongs to a family of structurally related tyrosine kinase receptors (FGFRs 1-4) encoded by four different genes. These receptors are glycoproteins composed of two to three extracellular immunoglobulin (Ig)-like domains, a transmembrane domain and a split tyrosine-kinase domain. Alternative mRNA splicing results in many different receptors variants. Isoforms FGFR3-IIIb and FGFR3-IIIc result from a mutually exclusive splicing event in which the second half of the juxtamembrane Ig-like domain is encoded either by the 151 nucleotides long exon 8 (IIIb variant) or the 145 nucleotides long exon 9 (IIIc variant).

Specific point mutations in the FGFR3 gene which affect different domains of the protein are associated with autosomal dominant human skeletal disorders such as hypochondroplasia, achondroplasia, severe achondroplasia with developmental delay and acanthosis nigricans and thanatophoric dysplasia. Several reports have demonstrated that these mutations lead to constitutive activation of the receptor. Taking into account this result, together with the skeletal overgrowth observed in mice homozygous for null alleles of Fgfr3, FGFR3 appears as a negative regulator of bone growth.

In contrast with this inhibitory role, an oncogenic role has been proposed for *FGFR3* in multiple myeloma (MM) development. In this malignant proliferation of plasma cells, a t(4;14)(p16.3;q32.3) chromosomal translocation with breakpoints located 50 to 100 Kb centromeric to *FGFR3* is present in 20-25% of the cases and is associated with overexpression of FGFR3.

In very rare cases (2 out of 12 MM cell lines and 1 out of 85 primary MM tumours), activating mutations of *FGFR3* previously identified in human skeletal disorders have been found, but always accompanied by the t(4;14)(p16.3;q32.3) translocation.

By investigating various cancers, the inventors have surprisingly found a role for FGFR3 in solid tumours, in particular in cancers originating from epithelial tissues, carcinomas.

The involvement of FGFR3 in such solid tumour development is linked to a constitutional activation : it may be activated by an autocrinal loop (ligand self-

10

15

20

25

30

35

PCT/EP00/04591 WO 00/68424

2

production) and/or by activating mutations in FGFR3. Surprisingly, such mutations are found in primary tumours and are somatic mutations (genomic DNA mutations).

So far, the only FGFR3 isoform which has been identified in epithelium is the FGFR3-IIIb isoform.

The invention thus relates to a method and kits for detecting such pathologies.

According to another aspect, the invention also relates to drugs capable of treating such pathologies.

According to still another aspect, it relates to transgenic animals enabling the efficiency of such drugs to be tested as well as to cell lines transfected with the different forms of FGFR3 (useful in vitro and in vivo).

The method of the invention for detecting carcinomas in a biological sample comprises identifying FGFR3 mutations.

Standard methods can apply for such an identification such as immunohistochemistry, or detection of the corresponding RNA, DNA, and encoded protein contained in said sample, particularly after extraction thereof. A common way for such a detection comprises amplifying by PCR, RT-PCR or RT-PCR SSCP (single strand conformation polymorphism) with FGFR3 specific primers and revealing the amplification products according to the usual methods. A corresponding embodiment is exemplified in the examples given hereinafter. Another common way comprises the use of antibodies and the detection of the antigen-antibody reaction with appropriate labelling.

The activating function of a mutation can be determined by observation of activating signals such as receptor phosphorylation, cell proliferation (e.g. thymidine incorporation) or indirect effects such as calcium influx, phosphorylation of target sequences.

More particularly, said identification comprises screening for single nucleotide mutation(s) in the genomic DNA and/or its products, i.e. RNA, protein, the term "product" also encompassing cDNA.

Particularly, said method comprises screening for mutations creating cysteine residues in the extracellular or transmembrane domains of the receptor.

Alternatively, or in combination with the foregoing embodiment, it comprises screening for mutations resulting in at least one amino-acid substitution in the kinase domain of the receptor.

It particularly comprises screening of activating mutation(s) of FGFR3, notably such as above-described.

More particularly, the method of the invention comprises screening for mutation(s) in exon 7, encoding the junction between immunoglobulin-like domains II

10

15

20

25

30

35

and III of FGFR3, in exon 10, encoding the transmembrane domain, in exon 15, encoding the tyrosine kinase domain I, and/or in the exon encoding the C-terminal part.

Advantageously, the method of the invention comprises screening for missense mutations such as implicated in thanatophoric dysplasia, NSC, achondroplasia, saddan, or hypochondroplasia.

Such FGFR3 mutations notably comprise R248C, S249C, G372C, S373C, Y375C, K652E, K652M, J809G, J809C, J809R, J809L, P250R, G377C, G382R, A393E, N542K (codons are numbered according to FGFR3-IIIb cDNA open reading frame).

The following FGFR3 mutations will be particularly identified: R248C, S249C, G372C, K652E and Y375C.

Said biological sample used in the method of the invention will advantageously comprise a tissue, bone marrow, or a fluid such as blood, urine, deriving from a warm-blooded animal, and more especially from a human.

Said method is particularly useful for detecting carcinomas, such as human bladder and cervix carcinomas. A major issue in superficial bladder cancer is to distinguish tumours which will progress from those which will not. Insights into the genetic and epigenetic alterations involved in bladder cancer is expected to provide useful information to facilitate this distinction. In that respect, the invention provides means to resolve the dilemma between a bladder-sparing strategy versus cystectomy and will contribute to a more individualised intravesical instillation and endoscopic monitoring policy.

Indeed, as shown by the results given in the examples, FGFR3 appears to be a major oncongene in Ta, T1 bladder carcinomas. The FGFR3 mutations appear to be frequently associated with tumours that do not progress. Multivariate analysis showed that FGFR3 mutation status remained a statistically significant predictor of good outcome. FGFR3 mutations thus provide clear-cut information, which may complement stage and grade. The use of these mutations alone and/or in combination with other predictors of tumour aggressiveness will then provide relevant prognostic information.

Said method, will also be used for detecting for example lung, breast, colon, skin cancers.

The method of detection according to the invention applies to the diagnostic of carcinomas, as well to the prognosis, or the follow-up of the efficiency of a therapy.

Said method will advantageously be performed by using kits comprising the appropriate reagents and a notice of use.

According to another aspect, the invention relates to drugs having an anti-proliferative effect on carcinoma cells. Such drugs comprise, as active principle(s)

agent(s) which act by inhibition of FGFR3 DNA synthesis or by inhibition of its expression products (RNA, proteins). Particularly, such drugs contain tyrosine kinase inhibitors specific for FGFR3.

Other appropriate inhibitors comprise antibodies directed against FGFR3, and particularly against at least one extracellular Ig-like domain thereof. Advantageously said antibodies are specific for FGFR3-IIIb. Preferred antibodies are monoclonal ones, and particularly antibodies modified so that they do not induce immunogenic reactions in a human body (e.g. humanized antibodies).

Other appropriate inhibitors comprise antisens oligonucleotides directed against a wild or mutated FGFR3 isoform.

10

15

20

25

30

35

The administration and the posology of said inhibitors will be determined by the one skilled in the art depending on the carcinoma to be treated, the weight and age of the patient. For example, antibodies will be administered by the injectable route.

The invention thus gives means of great interest for detecting and treating carcinomas, taking into account the fact that cancers originating from epithelial tissues (carcinomas) represent approximately 90 % of malignant neoplasms.

The invention also relates to cell lines capable of expressing FGFR3 mutated forms. Particularly, the invention relates to FGFR3 S249C mutated forms. T24 cell lines constitutively expressing FGFR3 S249C mutated forms and HeLa cell lines expressing FGFR3 S249C mutated forms in an inducible manner have thus been obtained (for example see ref.(6)).

By injecting such cell lines to nude mice, an increased tumorigenicity was observed.

According to the invention, such cell lines are useful *in vitro* (follow up of the receptor phosphorylation) or *in vivo* (examination of the tumorigenicity of nude mice) to study the inhibitor effect against FGFR3.

Cell lines transfected with FGFR2, FGFR1 or FGFR4 are particularly useful for studying the specificity of inhibitors to be tested.

According to still another object, the invention relates to constructions capable of expressing by transgenesis a FGFR3 mutated form in epitheliums and the transgenic animals thus obtained which are characterized by the fact that they comprise such constructions.

Examples of constructions intended for injection in animal germinal cells comprise a keratin promoter, particularly keratin 14 promoter and cDNA of mutated FGFR3.

10

15

20

25

30

35

Other advantages and characteristics of the invention will be given in the following examples wherein it will be referred to

- figures 1A 1B which give FGFR3-IIIb gene activating mutations in primary tumours,
- figures 2A 2E which refer to FGFR3-IIIb wild (2A) and mutated prooncogenic (2B-2T) sequences. It will be noted that the sequences of figures 2B to 2T, as such, enter into the scope of the invention. There may be silent polymorphisms all along the sequence, so there may be in fact several possible sequences for each mutant, and
- figures 3a and 3b which respectively represent a) Kaplan-Meier progression-free survival curves according to *FGFR3* mutations (dotted line: mutated *FGFR3*, solid line: non-mutated *FGFR3*; log rank test p=0.014); b) Kaplan-Meier disease-specific survival curves according to *FGFR3* mutations (dotted line: mutated *FGFR3*, solid line: non-mutated *FGFR3*; log rank test p=0.007)

Example 1: FGFR3 gene mutations in bladder and cervix carcinomas

FGFR3-IIIb and FGFR3-IIIc transcript levels were examined by reverse transcription-polymerase chain reaction (RT-PCR) in 76 primary bladder carcinomas and 29 primary invasive cervical carcinomas.

FGFR3-IIIb, the sole isoform to be significantly expressed, was detected in 72 out of 76 (94%) bladder carcinomas and 27 out of 29 (93%) cervical carcinomas.

A PCR-SSCP analysis was then conducted on both reverse transcribed RNA and genomic DNA to screen for FGFR3 coding sequence variants in 26 bladder and 12 cervix cancers expressing the gene. The results are illustrated in figures 1a and 1b which gives the identification of FGFR3 gene mutations in human carcinomas:

- a: gives the identification of somatic mutations by direct sequencing of PCR products. Normal constitutional DNA; Tumour, tumour DNA.
- b: gives FGFR3 mutations associated with squeletal disorders and cancers.

The schematic structure of FGFR3 is depicted (Ig I-III, immunoglobulin like domains; TM, transmembrane domain; TK-1 and -2, tyrosine kinase domains) and the locations of the known human missense mutations associated with thanatophoric dysplasia (TD) and severe achondroplasia (SADDAN), bladder and cervix carcinomas (carc.) and multiple myeloma (MM) are indicated. Usual amino acid abbreviations are used to point out the mutation found in each pathological situation. The mutations at codon 807 incriminated in TD replaces a Stop codon (J) by an amino acid (G, C, R or L) and the mRNA thus continues to be translated until another in-frame Stop codon is reached 423 nucleotides downstream thus leading to a 141 amino acid longer protein.

10

15

20

Abnormally migrating bands were observed for certain samples (Fig. 1a) and direct sequencing of PCR products revealed single nucleotide substitutions in 9 out 26 bladder carcinomas (35 %) and 3 out of 12 (25 %) cervix carcinomas (Fig. 1b and table 1).

Table 1

Summary of FGFR3 gene mutations in primary bladder and cervix cancers					
Sample	Histopathol.	Codon	Nt Position	Mutation	Predicted effect
1447, bladder	carc., Ta G2	249	746	TCC to TGC	Ser to Cys
342, bladder	carc., Tla G1	249	746	TCC to TGC	Ser to Cys
813, bladder	carc., Tla G1	372	1114	GGC to TGC	Gly to Cys
1393.1, bladder	carc., Tla G3	249	746	TCC to TGC	Ser to Cys
506, bladder	carc., Tlb G2	372	1114	GGC to TGC	Gly to Cys
1084, bladder	carc., Tlb G3	652	1954	AAG to GAG	Lys to Glu
745.1, bladder	carc., T2 G3	248	742	CGC to TGC	Arg to Cys
1077, bladder	carc., T3 G2	249	746	TCC to TGC	Ser to Cys
1210, bladder	carc., T3 G2	249	746	TCC to TGC	Ser to Cys
4.13, cervix	carc., stage II	249	746	TCC to TGC	Ser to Cys
4.139, cervix	carc., stage II	249	746	TCC to TGC	Ser to Cys
6.96.1, cervix	carc., stage II	249	746	TCC to TGC	Ser to Cys

Histopathol., histopathological classification of the tumours (carc., carcinoma: TNM and HUGO classifications are used respectively for bladder and cervix cancers); codon and mutated nucleotide (Nt position) are numbered according to FGFR3-IIIb cDNA open reading frame.

Mutations were found in the following exons

- exon 7, encoding the junction between immunoglobulin-like domains II and III of FGFR3 (one C-to-T transition at codon 248 in patient 745.1 and a C-to-G substitution at codon 249 in patient 1447);
- exon 10, encoding the transmembrane domain (a G-to-T-transversion at codon 372 in patient 813)
- exon 15, encoding the tyrosine kinase domain II (a A-to-G transition at codon 652 in patient 1084).

Analysis of matched constitutional DNA from the patients for which such material was available (n=8) demonstrated the somatic nature of these *FGFR3* mutations (Figure 1).

Strikingly, each of the FGFR3 missense mutations identified herein, i.e. R248C, S249C, G372C and K652E, are implicated in thanatophoric dysplasia (TD).

10

15

20

25

Given the presence of two additional amino-acids in the IIIb isoform expressed in epithelial cancers as compared to the IIIc isoform expressed in bone, the G372C and K652E mutations are indeed equivalent to the G370C and K650E mutations responsible for TD.

The S249C mutation was the most commonly observed, affecting 5 out of 9 (55 %) bladder cancers and all of the cervical cancers (3 out of 3, 100 %) in which FGFR3 gene alterations have been identified so far.

The R248C, S249C and G372/370C mutations create cysteine residues in the extracellular or transmembrane domains of the receptor and the K652/650E mutations results in amino-acid substitution in the kinase domain of the receptor.

Example 2: Inhibitors

A way to test the different FGFR3 inhibitors comprises transfecting cell lines so that they express the mutated forms of FGFR3, or wild type FGFR3 or just the neomycin or hygromycin resistant gene under the control of a strong promoter, such as CMV, RSV, SV40 promoters. The tumorigenic properties of these cell lines can then be compared *in vitro* or *in vivo* in nude mice. The different inhibitors will be tested *in vitro* or *in vivo* using these different cell lines. Phosphorylation, proliferation or indirect effects of FGFR3 such as calcium influx will be measured. Transgenic mice expressing in various epithelia the mutated FGFR3 can thus be derived thereof. Those mice developping tumours are useful tools for testing the efficiency of candidate inhibiting drugs. Such transgenic animals fall also into the scope of the present invention.

Example 3: FGFR3 mutations in Ta, T1 tumours in bladder cancer.

Bladder cancer is a disease with a spectrum of forms and is highly unpredictable. At the time of initial diagnosis, approximately 80% of patients present with a superficial tumour. Superficial bladder cancers include carcinoma in situ (Tis), Ta and Tl lesions (TNM classification). Ta/Tl lesions are mostly papillary urothelial carcinomas: Ta lesions do not invade the basement membrane, whereas Tl lesions invade the lamina propria, but do not invade the detrusor muscle of the bladder wall. Carcinoma in situ are flat, cytologically high-grade carcinomas, confined to the urothelium. Primary isolated carcinoma in situ is a very rare entity and is more commonly associated with Ta/Tl lesions. Despite transurethral resection alone or combined with adjuvant intravesical therapies, more than one half of patients with Ta/Tl tumours suffer recurrences. In most cases, recurrences are also superficial, but about 5% of Ta and 30-50% of Tl tumours progress in an unpredictable manner to muscle invasion with a high risk of development of metastases and death from bladder cancer.

The management of superficial bladder cancer is based on clinicopathological parameters. Three groups of tumours can be defined, of low,

PCT/EP00/04591

intermediate and high risk, according to their potential for recurrence and progression. This classification is used to recommend adjuvant intravesical therapies and bladder monitoring, but it is not a sufficiently sensitive discriminant for use in determining the appropriate treatment and mode of surveillance for a given patient. Although Bacille Calmette-Guérin (BCG) therapy appeared to be the most effective regimen for the high-risk group, long-term results indicate that progression occurs in 40% by 10 years and in more than 50% by 15 years. For some researchers, these findings justified the use of upfront radical cystectomy in high-risk superficial urothelial carcinomas, despite the risk of overtreating a significant number of patients. Follow-up of Ta and T1 superficial bladder cancers constitutes most of the workload of urologists involved in the management of bladder cancer. The current strategy is based on frequent cystoscopic evaluations using a schedule that is largely empirical, without considering the individual characteristics of the tumour.

The limitations of the current management of bladder cancer demonstrate the need for prognostic markers, making possible the use of selective aggressive treatments for patients at high risk of progression while sparing low-risk patients from unnecessary procedures. A number of chromosomal loci and specific genes have been implicated in bladder tumorigenesis. Losses of all or part of chromosome 9 in many TaG1 tumours suggests that the inactivation of a gene or genes on chromosome 9 may be an early event in urothelial transformation. The prognostic significance of losses on chromosome 9 is unclear. Alterations of the *P53* and *RB* genes controlling the G1 cell cycle checkpoint have been clearly delineated and are associated with the aggressiveness of superficial and invasive bladder cancers. Despite these recent insights into the molecular mechanisms of bladder carcinoma progression, these markers have not yet had any impact on clinical practice.

The following assays have been performed to assess the reliability, as markers, of the FGFR3 mutations.

Material and method

15

20

25

35

Patients and tissue samples

Seventy four specimens of superficial Ta, T1 bladder carcinomas were obtained from 74 patients by transurethral resection performed at the Henri Mondor hospital, Créteil, France, from January 1988 to December 1998. Tumours were staged according to the TNM classification (1) and graded according to criteria recommended by the World Health Organisation (2). This series consisted of 25 pTa and 49 pT1 tumours, with 28 grade G1. 33 grade G2 and 13 grade G3 tumours. The 64 men and 10 women had a mean age of 64 years (range: 29 to 94 years). None of the patients had any detectable distant metastases at the time of transurethral resection. Patients were treated

9

by transurethral resection (TUR) alone (n=25), TUR followed by mitomycin C instillation (n=10) or TUR and BCG (n=39) according to the French Committee for Urologic Oncology (CCAFU) recommendations. There was no change in the policy for treating superficial bladder cancer during the study period. Progression was defined as the occurrence of a pT2 or higher stage or appearance of lymph node invasion or metastasis or death from cancer. Disease-specific survival curves were plotted using death from urothelial cancer as the endpoint. Follow-up was based on systematic cystoscopy and cytology, and imaging studies only when indicated. All outpatient visits and hospital admissions were recorded in a database from which the study data were calculated.

Tumour DNA was extracted from formalin-fixed and paraffin-embedded tissue or samples freshly frozen in liquid nitrogen (4). Normal DNA samples from peripheral blood were available for 27 patients.

15 FGFR3 mutation analysis

10

20

25

30

35

Mutations in the FGFR3 gene were detected by SSCP analysis. Exons 7, 10, 15 and 20 of the FGFR3 gene were analysed because these exons harbour all the mutations previously identified in bladder carcinomas and thanatophoric dysplasia. All mutations detected by SSCP analysis were confirmed by direct bidirectional sequencing of tumour genomic DNA. Matched normal DNA, if available, was sequenced on both strands to demonstrate the somatic nature of these mutations.

Statistical methods

Associations between FGFR3 mutation status and other data (sex, age, stage and grade) were tested using χ^2 and Student's t tests. Progression-free and disease-specific survival curves were plotted using Kaplan-Meier estimates. Survival distributions were compared using the log-rank test. Cox's proportional hazards regression model was used to test the effect of mutations, while simultaneously accounting for baseline patient and tumour characteristics. The influence of the covariates on the FGFR3 mutation effect was assessed in multivariate analysis involving a forward stepwise procedure and a backward stepwise procedure, using the MPRL (maximum partial likelihood ratio) method. The limit to enter a term was 0.15 and the limit to remove a term was 0.10. Statistical analyses were performed using BMDP® and S-Plus® software.

Results

FGFR3 missense mutations were observed in 41 of the 74 (55%) Ta, T1 bladder tumours. The FGFR3 mutations found are described in Table 2 below:

10

Table 2

Number of tumours (%)	Codon*	nt position*	Mutation	Predicted effect
5 (12%)	248	742	CGC -> TGC	Arg -> Cys
28 (68.5%)	249	746	TCC -> TGC	Ser -> Cys
5 (12%)	372	1,114	GGC -> TGC	Gly -> Cys
2 (5%)	375	1,124	TAT -> TGT	Tyr -> Cys
1 (2.5%)	652	1,954	AAG -> GAG	Lys -> Glu

^{*} codon and mutated nucleotide (nt position) are numbered according to FGFR3-IIIb cDNA open reading frame. FGFR3-IIIb is the isoform expressed in epithelial cells.

5

S249C was the commonest mutation and was found in 16 of the 21 (76%) mutated Ta tumours and 12 of the 20 (60%) mutated T1 tumours. Matched constitutional DNA, available in 15 of the cases of tumour with mutations, contained wild-type sequences, demonstrating the somatic nature of these mutations.

10

The correlation between sex, age, stage, grade and FGFR3 mutation status is given Table 3:

11

Table 3

	FGFR3 wild	FGFR3 mutant	p value
	type		$(\chi^2 \text{ or Student's })$
			test)
Sex			
Male	29	.35	
Female	4	6	0.9779
Age (years)			
mean	64.30	63.22	
range	[29.15-86.10]	[34.3-94.4]	0.7393
Stage			
Ta	4	21	
Tl	29	20	0.001
Grade			
Gl	7	21	
G2	14	19	
G3	12	1	0.0003

Statistically significant correlations were observed between *FGFR3* mutations and low stage (p=0.001) and low grade (p=0.0003), but not between these mutations and age or sex (Table 2).

With a median follow-up of 4.3 years (range: 6 months to 11 years), 3 patients progressed and one died in the mutated tumour group (n=41 patients) whereas ten patients progressed and eight died in the non-mutated tumour group (n=33 patients).

The median follow-up was 5.6 years (range: 7 months to 11 years) in the non-mutated group and 4.1 years (range: 6 months to 9 years) in the mutated group.

To examine *FGFR3* mutations as a marker of patient outcome, we calculated Kaplan-Meier progression-free survival and disease-specific survival probability curves for the two groups of patients and examined the differences using the log rank test. Progression-free and disease-specific survival indicated that *FGFR3* mutations were associated with a lower risk of progression (p=0.014) and longer survival (p=0.007) (Figure 3). We tested several variables (age, sex, stage, grade) but only stage was significantly associated with progression and survival in univariate analysis. If only T1 patients were analysed, the correlation was still significant for disease-specific survival (p=0.03) and close to significance for progression-free survival (p=0.052).

Multivariate analysis was used to determine whether the correlation between FGFR3 mutation status and progression-free survival or disease-specific survival was independent of other outcome predictors. For progression-free survival, the following covariates were introduced into the Cox model: mutation, stage, grade and sex. For disease-specific survival, mutation and grade were the only covariates introduced into the model, as no disease-related deaths were observed among female or Ta patients. If FGFR3 status was entered into the model, neither stage nor grade provided any additional prognostic value for tumour progression. In the analysis of disease-specific survival, FGFR3 mutation was also the only covariate to be entered into the model, as grade did not provide any additional prognostic information. Relative risks and their 95% confidence intervals (CI) are shown in Table 4.

25

20

10

15

Table 4

	Progre	ession	Disease-specific Survival		
	Relative Risk	95% CI	Relative Risk	95% CI	
FGFR3					
Wild-type	1		1		
Mutant	0.23	(0.06; 0.83)	0.10	(0.01; 0.80)	

Forward and backward procedures both yielded the same model.

As shown by the above results, the FGFR3 activating mutations were frequent in bladder carcinomas.

All the carcinomas having a mutated receptor expressed said receptor at levels similar or above those observed with normal tissues. Immunohistochemical methods will then advantageously be used for revealing the receptor.

FGFR3 mutation detection in bladder carcinomas appears to be a good pronostic, giving then to the clinicians valuable means for treating and observing carcinomas, which represent a medical problem due to the high frequency of recurrences.

By using SSCP or PCR coupled to an enzymatic restriction S249C mutation specific (which represent 75% of the mutations) on patients having bladder carcinomas with S249C mutation, the mutation could be detected in urine in 60% of the cases.

Example 4: Detection of FGFR3 mutations in patients' urines

Genomic DNA is extracted from patients' urines and amplified by PCR, in the presence of ³²P- labelled dCTP, using standard methods. The following primers 15 were used for detecting S249C mutation:

5'-CAG CAC CGC CGT CTG GTT GG-3' and 5'-AGT GGC GGT GGT GAG GGA G-3'.

30 cycles of PCR are performed.

The amplification products are digested by Cac81. An additional site is created by FGFR3 mutation and a corresponding band is observed on an electrophoretic gel.

Similarly the following primers and enzymes can be used to detect:

R248C mutation: 25

10

Primers: 5'-TGT GCG TCA CTG TAC ACC TTG CAG-3' and 5'-AGT GGC GGT GGT GGT GAG GGA G-3'

Enzyme: Bsi HKA I

K652E mutation: 30

Primers: 5'-TGG TGA CCG AGG ACA ACG TGA TG-3' and 5'-AGG GTG TGG GAA GGC GGT GTT G-3'

Enzyme: Bsm A I

G372C mutation: 35

Primers: 5'-CCT CAA CGC CCA TGT CTT TTC AGC-3' and 5'-CTT GAG CGG GAA GCG GGA GAT CTT G-3'

Enzyme: Pst 1

14

Y375C mutation:

Primers: 5'-CCT CAA CGC CCA TGT CTT TTC AGC-3' and 5'-CTT GAG CGG

GAA GCG GGA GAT CTT G-3'

5 Enzyme: Bsg I

References

15

- 1. Sobin LH, Fleming ID. TNM Classification of Malignant Tumors, fifth edition (1997). Union Internationale Contre le Cancer and the American Joint Committee on Cancer. Cancer 1997; 80: 1803-4.
 - 2. Epstein JI, Amin MB, Reuter VR, Mostofi FK. The World Health Organization/International Society of Urological Pathology consensus classification of urothelial (transitional cell) neoplasms of the urinary bladder. Bladder Consensus Conference Committee. *Am J Surg Pathol* 1998; 22: 1435-48.
 - 3. Rischmann P, Bittard H, Chopin D, et al. Tumeurs Urothéliales. *Prog Urol* 1998; 8: 25-50.
- 4. Cappellen D, Gil Diez de Medina S, Chopin D, Thiery JP, Radvanyi F. Frequent loss of heterozygosity on chromosome 10q in muscle-invasive transitional cell carcinomas of the bladder. *Oncogene* 1997; 14: 3059-66.
- 5. Cappellen D, De Oliveira C, Ricol D, Gil Diez de Medina S, Bourdin J, Sastre-Garau X, Chopin D, Thiery JP, Radvanyi F. Frequent activating mutations of FGFR3 in human bladder and cervix carcinomas. *Nature Genetics*, vol 23, sept. 1999.
- 6. Gossen M, Freundlieb S, Bender G, Muller G, Hillen W, Bujard H. Transcriptional activation by tetracyclines in mammalian cells. *Science* 1995; **268**: 1766-9.

PCT/EP00/04591 WO 00/68424 16

CLAIMS

- 1/ A method for detecting carcinomas in a biological sample, comprising identifying FGFR3 mutations. 5
 - 2/ The method of claim 1, comprising screening for single nucleotide mutation(s) in nucleic acids of the group comprising genomic DNA, RNA or cDNA.
- 3/ The method of claim 1, comprising screening for single mutation(s) in 10 proteins.
 - 4/ The method of claim 1, comprising screening for mutations creating cysteine residues in the extracellular or transmembrane domains of the receptor.
 - 5/ The method of claim 1, comprising screening for mutations resulting in at least one amino-acid substitution in the kinase domain of the receptor.
- 6/ The method of claim 5, comprising screening of activating mutation(s) of FGFR3. 20

15

30

- 7/ The method of claim 6, comprising screening of activating mutation(s) of FGFR3-IIIb.
- 8/ The method of claim 1, comprising screening for mutation(s) in the group 25 comprising exon 7, encoding the junction between immunoglobulin-like domains II and III of FGFR3, exon 10, encoding the transmembrane domain, exon 15, encoding the tyrosine kinase domain I, and the exon encoding the C-terminal part.
 - 9/ The method of claim 1, comprising screening for missense mutations such as implicated in thanatophoric dysplasia, NSC, achondroplasia, SADDAN, or hypochondroplasia.
- 10/ The method of claim 9, wherein the mutations comprise R248C, S249C, G372C, S373C, Y375C, K652E, K652M, J809G, J809C, J809R, J809L, P250R, 35 G377C, G382R, A393E, N542K.

- 11/ The method of claim 9, comprising screening R248C, S249C, G372C, K652E and Y375C mutations.
- 12/ The method of claim 1, wherein the biological sample is selected in the group comprising a tissue, bone marrow, or a body fluid.
 - 13/ The method of claim 12, wherein said body fluid is selected in the group comprising blood, urine from a warm-blooded animal.
- 10 14/ The method of claim 13, wherein said body fluid is from a human.
 - 15/ The method of claim 1 for detecting human bladder and cervix carcinomas.
 - 16/ The method of claim 1, for detecting lung, breast, colon, skin cancers.


17/ The pharmaceutical preparations having an anti-proliferative effect on carcinoma cells comprising an effective amount of agent(s) which act by inhibition of

FGFR3 DNA synthesis or by inhibition of its expression products.

25 .

- 20 18/ The pharmaceutical preparations of claim 17, comprising tyrosine kinase inhibitors specific for FGFR3.
 - 19/ The pharmaceutical preparation of claim 18, comprising antibodies directed against FGFR3.
 - 20/ The pharmaceutical preparations of claim 17, comprising antisens oligonucleotides directed against a wild type or mutated FGFR3 isoform.

FIGURE 1






Figure 2A

Wild Type FGFR3-IIIb:

ATGGGCGCCCTGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCCCGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ${\tt ACGGCAGCAAGGTGGGCCCGGACGCCCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC}$ CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCGGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

3/22

Figure 2B

Mutant R248C FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGTGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGCCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGACGTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGGCGACGAGTACCTCTGTCGAGCCACCAATTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTGGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

4/22

Figure 2C

Mutant 5249C FGFR3-IIIb:

ATGGGCGCCCCTGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCGGCCAGCAGCAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG ${\tt TACACGCTGGACGTGCCGGACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT}$ GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCCCCCGGGCCTGGACTACTCCTTCGACACCCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCCCCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGGCTCGCGGACGTGA

Figure 2D

Mutant G372C FGFR3-IIIb:

ATSGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGCCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACCGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTCCCCGCACCGGCCCATCCTGCAGGGGGGGTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGTGCAGTG TSTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CSCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACCGCTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CCCAGCAGTGGGGGGCTCGCGGACGTGA

Figure 2E

Mutant K652E FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCGCTCTGCGTGGCCGTGGCCATCGTGGCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG $\tt CTGGTGCCCTCGGAGCGTGCTGGTGGGGCCCCAGCGGCTGCAGGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA$ CAGCTGCCGGCAGCGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGCCAACACCGTCCGCTTCCGCTGCCAAGCCGCTGGCAACCCCACTCCCATCTCCTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGCCACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG ${\tt CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT}$ GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG ${\tt CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT}$ GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGGTCCTTTGGGGTCCTGGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGGTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCGGCCCCA CCCAGCAGTGGGGGGCTCGCGGACGTGA

Figure 2F

Mutant S373C FGFR3-IIIb:

ATGGGCGCCCTGCCGCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCCTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCAGAGCCGGCCAGCAGCAGCAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCTGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAGATGATGAAGATGA TCGGGAAACACAAAAACATCATCAACCTGCTGGGCGCCTGCACGCAGGGCCGGGCCCCTGTACGTGCTGGTGGAGTACGCG CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGACGACTGTCGGCCTCTTCGACCATTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 2G

Mutant Y375C FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCGGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGSATGCTGTGGAGCTGAGCTGTCCCCCGGCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGACGACGCTGAGGACACAGGTGTGGACACAGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCGTCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGCGAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCGGCACCGGCCCATCCTGCAGGCGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC GTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGACGGGGGCGAGTACCTCTGTCGAGCCAACCCAATTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTGTGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGGCTCCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGGCTCGCGGACGTGA

Figure 2H

Mutant K652M FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCCTCGCGCTCTGCGCTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACCGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGGGGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC GTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGACGGGGGCGAGTACCTCTGTCGAGCCAACTTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGCCGACCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA TCGGGAAACACAAAAACATCATCAACCTGCTGGGCGCCTGCACGCAGGGCGGCCCCTGTACGTGCTGGTGGAGTACGCG GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGGGGGGGCCCCGGGGCCTGGACTACTCCTTCGACACCCTGCAAGCCGGC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGGTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG SCTCCCCGTACCCCGCCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGAGTGCTGGCATGCCGCGCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 2I

Mutant X309C FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGCAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCGCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGCCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAGGTGGGCCCGGACGGCACACCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG $\verb|CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT| \\$ GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGACCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCCGCGGGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCACCTCCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCGTACCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGAGTGCTGGCATGCCGCGCCTTCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGC

Figure 2J Mutant 1

Mutant X809G FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGCGCCCTCCTCGGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGACGACGACGACACAGGTGTGGACACAGGGGCCCTTACTGGACACGGCCCGACGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCCACTCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGGTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCAGGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAAGATGATGAAGATGA CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC $\tt TGCACACGGGGCTGTACATGATCATGGGGGGTGCTGGCATGCCGGGGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT$ GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCCGCCTTTCGAGCAGTACTCCC CCCAGCAGTGGGGGCTCGCĞGACGGGA

Figure 2K Mutant 2

Mutant K809G FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCTGCGTGGCCGTGGCCATCGTGGCCGCCGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG CTGGTGCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCGCCAACACCGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGCTCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC GTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGACGGGGCGAGTACCTCTGTCGAGCCACCAATTTCATAGGCGTGGC TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG $\tt CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT$ GGAGTCCAACGCGTCCATGAGCTCCAACACCACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAAGATGATGAAGATGA TCGGGAAACACAAAAACATCATCAACCTGCTGGGCGCCTGCACGCAGGGGGGGCCCCTGTACGTGCTGGTGGAGTACGCG CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGACCGAGGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCGGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTTQCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGAGA

Figure 2L Mutant 3

. . . .

Mutant K809G FGFR3-IIIb:

ATGGCCCCCTGCCTGCCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGCAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCCCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGGGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGGAGGTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGCGA

Figure 2M

4 . . .

Mutant X909L FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGCGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGCAGCAGCAGCAGCTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCGCGCGTACTGTGCCACTTCAGTGTGCGGGGTGACAGACGCTCCATCCTCGGGAGATG AAGAAGCTGCTGGCCGTGCCGGCCGCCAACACCGTCCGCTTCCGCTGCCAGCCGCTGGCAACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC GTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGACGGGGGCGAGTACCTCTGTCGAGCCACCAATTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCGGCCCCA CCCAGCAGTGGGGGGCTCGCGGACGTTA

Figure 2N Mutant 1

Murant N542K FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCCTCGCGCTCTGCGTGGCCGTCGCCATCGTGGCCGGCGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCGGCCAGCAGCAGCAGCAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCCCCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGACGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGGCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGGGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGCGGCTGTGACGCTCTGCCGCCTG $\tt CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCACGCTCAAGCGACAGGTGTCCCT$ GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGGAGGGCCCCACGCTGG $\verb|CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT| \\$ GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGGGCCCCGGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 20 Mutant 2

Mucano N542K FGFR3-IIIb:

ATGGGCGCCCTGCCGCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCGGCCCCTCGGGAGTCCTTGGGGAC GGAGCAGCGTCGTGGGGGGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGGCAGGAGCAGTTGGTCTTCGGCAGCA GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGGGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCGGCACCTCCTGCAGGCGGCCAACCAGACGAGACGGCGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACACCCCACACGTGGAGATCCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAASGCTGTCCTCAGGGGAGGGCCCCACGCTGG $\tt CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTTGGGCAAGCCCCTT$ GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA TCGGGAAACACAAAAACATCATCAAGCTGCTGGGGCGCCTGCACGCAGGGCGGGGCCCCTGTACGTGCTGGTGGAGTACGCG GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGGTCCTTTGGGGTCCTGGTGGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCCGCTTTCGAGCAGTACTCCC CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 2P Mutant 1

Mutant G382R FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCGGCCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGGCGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTCCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGACGACGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCCTTCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC GTGCGCCTCCGCCTGGCCAATGTGTCGGAGCGGGACGGGGGCGAGTACCTCTGTCGAGCCACCAATTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACAGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAGATGATGAAGATGA TCGGGAAACACAAAAACATCATCAACCTGCTGGGCGCCTGCACGCAGGGCCGGGCCCCTGTACGTGCTGGTGGAGTACGCG GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACAGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCGGGGGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

18/22

Figure 2Q Mutant 2

C

Mutant G382R FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGCAGCAGCAGCAGCTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG $\tt CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA$ CAGCTGCCGGCAGCGGCTCACGCGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG AAGAAGCTGCTGGCCGTGCCGGCCAACACCGTCCGCTCCGCTGCCCAGCCGCTGGCAACCCCACTCCTCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTGGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGGGCTCCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGCCACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGGGTTCACGGGCCCCGAGCAGCAGGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACCGGGTGGGCTTCTTCCTGTTCATCCTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT ${\tt GGGGAGGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT}$ AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGGCATGGAGTACTTGGCCTCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGGCTCGCGGACGTGA

Figure 2R

Mutant G377C FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGACGACGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACACCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGGAGATGATGAAGATGA GCCAAGGGTAACCTGCGGGGGTTTCTGCGGGCGGCGGCGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 2S


Mutant A393E FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGAGCAGCGCGTCGTGGGGCGAGCGGCAGAAGTCCCGGGCCCAGAGCCCGGCCAGCAGGAGCAGTTGGTCTTCGGCAGCG GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGGCCAACACCGTCCGCTTCCGCTGCCCAGCCGCTGGCAACACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGGCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCCGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGGCGGTGCT GGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGACGCACAGCCCCACATCCAGTGGCTCAAGCACGTGGAGGTGA ACGGCAGCAAGGTGGGCCCGGACGGCACACCCTACGTTACCGTGCTCAAGTCCTGGATCAGTGAGAGTGTGGAGGCCGAC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGAGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGAGGGCCCCACGCTGG $\verb|CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT|\\$ GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGCCAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAAGATGAAGATGA CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCCGTACCCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACGACCTGTACATGATCATGCGGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA

Figure 2T

Mutant P250R FGFR3-IIIb:

ATGGGCGCCCTGCCTGCGCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGTCCTTGGGGAC GGGATGCTGTGGAGCTGAGCTGTCCCCCGCCGGGGGTGGTCCCATGGGGCCCACTGTCTGGGTCAAGGATGGCACAGGG $\tt CTGGTGCCCTCGGAGCGTGTCCTGGTGGGGCCCCAGCGGTGCTGCAGGTGCTGAATGCCTCCCACGAGGACTCCGGGGCCTA$ CAGCTGCCGGCAGCGGCTCACGCAGCGCGTACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGGAGATG ACGAAGACGGGGAGGACGAGGCTGAGGACACAGGTGTGGACACAGGGGCCCCTTACTGGACACGGCCCGAGCGGATGGAC AAGAAGCTGCTGGCCGTGCCGCCCAACACCGTCCGCTTCCGCTGCCCAGCCGCTGGCAACCCCACTCCCATCTC CTGGCTGAAGAACGGCAGGGAGTTCCGCGGCGAGCACCGCATTGGAGGCATCAAGCTGCGGCATCAGCAGTGGAGCCTGG TCATGGAAAGCGTGGTGCCCTCGGACCGCGGCAACTACACCTGCGTCGTGGAGAACAAGTTTGGCAGCATCCGGCAGACG TACACGCTGGACGTGCTGGAGCGCTCCCGGCACCGGCCCATCCTGCAGGCGGGGCTGCCGGCCAACCAGACGACGGCGGTGCT GTGCGCCTCGGCCAATGTGTCGGAGCGGGACGGGGCGAGTACCTCTGTCGAGCCACCAATTTCATAGGCGTGGC CGAGAAGGCCTTTTGGCTGAGCGTTCACGGGCCCCGAGCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGCAGTG TGTATGCAGGCATCCTCAGCTACGGGGTGGGCTTCTTCCTGTTCATCCTGGTGGTGGCGGCTGTGACGCTCTGCCGCCTG CGCAGCCCCCCAAGAAAGGCCTGGGCTCCCCACCGTGCACAAGATCTCCCGCTTCCCGCTCAAGCGACAGGTGTCCCT GGAGTCCAACGCGTCCATGAGCTCCAACACCACTGGTGCGCATCGCAAGGCTGTCCTCAGGGGGAGGGCCCCACGCTGG CCAATGTCTCCGAGCTCGAGCTGCCGACCCCAAATGGGAGCTGTCTCGGGCCCGGCTGACCCTGGGCAAGCCCCTT GGGGAGGCTGCTTCGGCCAGGTGGTCATGGCGGAGGCCATCGGCATTGACAAGGACCGGGCCGAAGCCTGTCACCGT AGCCGTGAAGATGCTGAAAGACGATGCCACTGACAAGGACCTGTCGGACCTGGTGTCTGAGATGAAGATGA TCGGGAAACACAAAAACATCATCAACCTGCTGGGCGCCTGCACGCAGGGCCGCCCTGTACGTGCTGGTGGAGTACGCG GCCAAGGGTAACCTGCGGGAGTTTCTGCGGGCGCGGGCGCCCCGGGCCTGGACTACTCCTTCGACACCTGCAAGCCGCC CGAGGAGCAGCTCACCTTCAAGGACCTGGTGTCCTGTGCCTACCAGGTGGCCCGGGGCATGGAGTACTTGGCCTCCCAGA AGTGCATCCACAGGGACCTGGCTGCCCGCAATGTGCTGGTGACCGAGGACAACGTGATGAAGATCGCAGACTTCGGGCTG CTTGTTTGACCGAGTCTACACTCACCAGAGTGACGTCTGGTCCTTTGGGGTCCTGTGCTCTGGGAGATCTTCACGCTGGGGG GCTCCCGGTACCCGGCATCCCTGTGGAGGAGCTCTTCAAGCTGCTGAAGGAGGGCCACCGCATGGACAAGCCCGCCAAC TGCACACACGACCTGTACATGATCATGCGGGAGTGCTGGCATGCCGCGCCCTCCCAGAGGCCCACCTTCAAGCAGCTGGT GGAGGACCTGGACCGTGTCCTTACCGTGACGTCCACCGACGAGTACCTGGACCTGTCGGCGCCTTTCGAGCAGTACTCCC CGGGTGGCCAGGACACCCCCAGCTCCAGCTCCTCAGGGGACGACTCCGTGTTTGCCCACGACCTGCTGCCCCCGGCCCCA CCCAGCAGTGGGGGCTCGCGGACGTGA



This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

X	BLACK BORDERS
×	IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
Þ.	FADED TEXT OR DRAWING
	BLURED OR ILLEGIBLE TEXT OR DRAWING
	SKEWED/SLANTED IMAGES
×	COLORED OR BLACK AND WHITE PHOTOGRAPHS
	GRAY SCALE DOCUMENTS
	LINES OR MARKS ON ORIGINAL DOCUMENT
	REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	OTHER:

IMAGES ARE BEST AVAILABLE COPY.
As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox